



# CONCIERGE<sup>Guiding</sup> E<sup>xcellence</sup><sup>®</sup>

Guiding Catheter





ConcierGE® Guiding Catheters provide a wide variety of sizes and curve shapes to meet the broad range of cases clinicians encounter.

## FEATURES

Flat-wire-braided, 100-cm catheter shaft with PTFE liner	One-piece molded hub and strain relief
Curves designed for transradial access	Radiopaque for fluoroscopic visualization
All catheters available in 100-cm length	Soft, radiused tip

## PRODUCT DESCRIPTION

	5F	6F	7F	8F
GUIDE OD	0.070" (1.7 mm)	0.082" (2.0 mm)	0.092" (2.3 mm)	0.105" (2.7 mm)
GUIDE ID	0.057" (1.4 mm)	0.070" (1.78 mm)	0.078" (2.0 mm)	0.088" (2.2 mm)

Packaged 1 unit per box.

## JUDKINS RIGHT




Shape	Side Holes	Tip	5F	6F	7F	8F
Judkins Right	-	3.0	CGC5100JR30	CGC6100JR30	CGC7100JR30	CGC8100JR30
Judkins Right	-	3.5	CGC5100JR35	CGC6100JR35	CGC7100JR35	CGC8100JR35
Judkins Right	2	3.5	CGC5100JR35SH	CGC6100JR35SH	CGC7100JR35SH	CGC8100JR35SH
Judkins Right	-	4.0	CGC5100JR40	CGC6100JR40	CGC7100JR40	CGC8100JR40
Judkins Right	2	4.0	CGC5100JR40SH	CGC6100JR40SH	CGC7100JR40SH	CGC8100JR40SH
Judkins Right	-	5.0	CGC5100JR50	CGC6100JR50	CGC7100JR50	CGC8100JR50
Judkins Right	2	5.0	CGC5100JR50SH	CGC6100JR50SH	CGC7100JR50SH	CGC8100JR50SH
Judkins Right	-	6.0	CGC5100JR60	CGC6100JR60	CGC7100JR60	CGC8100JR60




## JUDKINS LEFT



Shape	Side Holes	Tip	5F	6F	7F	8F
Judkins Left	-	3.0	CGC5100JL30	CGC6100JL30	CGC7100JL30	CGC8100JL30
Judkins Left	-	3.5	CGC5100JL35	CGC6100JL35	CGC7100JL35	CGC8100JL35
Judkins Left	2	3.5	CGC5100JL35SH	CGC6100JL35SH	CGC7100JL35SH	CGC8100JL35SH
Judkins Left	-	3.5	CGC5100JL35ST	CGC6100JL35ST	CGC7100JL35ST	CGC8100JL35ST
Judkins Left	-	4.0	CGC5100JL40	CGC6100JL40	CGC7100JL40	CGC8100JL40
Judkins Left	2	4.0	CGC5100JL40SH	CGC6100JL40SH	CGC7100JL40SH	CGC8100JL40SH
Judkins Left	-	4.0	CGC5100JL40ST	CGC6100JL40ST	CGC7100JL40ST	CGC8100JL40ST
Judkins Left	-	4.5	CGC5100JL45	CGC6100JL45	CGC7100JL45	CGC8100JL45
Judkins Left	2	4.5	CGC5100JL45SH	CGC6100JL45SH	CGC7100JL45SH	CGC8100JL45SH
Judkins Left	-	5.0	CGC5100JL50	CGC6100JL50	CGC7100JL50	CGC8100JL50
Judkins Left	2	5.0	CGC5100JL50SH	CGC6100JL50SH	CGC7100JL50SH	CGC8100JL50SH




ST = short tip





## AMPLATZ RIGHT



Shape	Side Holes	Tip	5F	6F	7F	8F
Amplatz Right 1	-	AR1	CGC5100AR1	CGC6100AR1	CGC7100AR1	CGC8100AR1
Amplatz Right 1	2	AR1	CGC5100AR1SH	CGC6100AR1SH	CGC7100AR1SH	CGC8100AR1SH
Amplatz Right 2	-	AR2	CGC5100AR2	CGC6100AR2	CGC7100AR2	CGC8100AR2
Amplatz Right 2	2	AR2	CGC5100AR2SH	CGC6100AR2SH	CGC7100AR2SH	CGC8100AR2SH
Amplatz Right 3	-	AR3	CGC5100AR3	CGC6100AR3	CGC7100AR3	CGC8100AR3



AR1




AR2



AR3

## AMPLATZ LEFT



Shape	Side Holes	Tip	5F	6F	7F	8F
Amplatz Left 0.75	-	0.75	CGC5100AL75	CGC6100AL75	CGC7100AL75	CGC8100AL75
Amplatz Left 0.75	2	0.75	CGC5100AL75SH	CGC6100AL75SH	CGC7100AL75SH	CGC8100AL75SH
Amplatz Left 1	-	AL1	CGC5100AL1	CGC6100AL1	CGC7100AL1	CGC8100AL1
Amplatz Left 1	2	AL1	CGC5100AL1SH	CGC6100AL1SH	CGC7100AL1SH	CGC8100AL1SH
Amplatz Left 2	-	AL2	CGC5100AL2	CGC6100AL2	CGC7100AL2	CGC8100AL2
Amplatz Left 2	2	AL2	CGC5100AL2SH	CGC6100AL2SH	CGC7100AL2SH	CGC8100AL2SH
Amplatz Left 3	-	AL3	CGC5100AL3	CGC6100AL3	CGC7100AL3	CGC8100AL3



AL 0.75



AL1




AL2



AL3

## SUPER BACKUP SUPPORT



Shape	Side Holes	Tip	5F	6F	7F	8F
SBS 3.0	-	3.0	CGC5100SBS30	CGC6100SBS30	CGC7100SBS30	CGC8100SBS30
SBS 3.0	2	3.0	CGC5100SBS30SH	CGC6100SBS30SH	CGC7100SBS30SH	CGC8100SBS30SH
SBS 3.5	-	3.5	CGC5100SBS35	CGC6100SBS35	CGC7100SBS35	CGC8100SBS35
SBS 3.5	2	3.5	CGC5100SBS35SH	CGC6100SBS35SH	CGC7100SBS35SH	CGC8100SBS35SH
SBS 3.5-Mod	-	3.5-M	CGC5100SBS35-M	CGC6100SBS35-M	CGC7100SBS35-M	CGC8100SBS35-M
SBS 3.75	-	3.75	CGC5100SBS375	CGC6100SBS375	CGC7100SBS375	CGC8100SBS375
SBS 3.75	2	3.75	CGC5100SBS375SH	CGC6100SBS375SH	CGC7100SBS375SH	CGC8100SBS375SH
SBS 3.75-Mod	-	3.75-M	CGC5100SBS375-M	CGC6100SBS375-M	CGC7100SBS375-M	CGC8100SBS375-M
SBS 4.0	-	4.0	CGC5100SBS40	CGC6100SBS40	CGC7100SBS40	CGC8100SBS40
SBS 4.0	2	4.0	CGC5100SBS40SH	CGC6100SBS40SH	CGC7100SBS40SH	CGC8100SBS40SH
SBS 4.0-Mod	-	4.0-M	CGC5100SBS40-M	CGC6100SBS40-M	CGC7100SBS40-M	CGC8100SBS40-M
SBS 4.5	-	4.5	CGC5100SBS45	CGC6100SBS45	CGC7100SBS45	CGC8100SBS45
SBS 4.5	2	4.5	CGC5100SBS45SH	CGC6100SBS45SH	CGC7100SBS45SH	CGC8100SBS45SH
SBS 4.5-Mod	-	4.5-M	CGC5100SBS45-M	CGC6100SBS45-M	CGC7100SBS45-M	CGC8100SBS45-M
SBS 4.5-Mod	2	4.5-M	CGC5100SBS45-MSH	CGC6100SBS45-MSH	CGC7100SBS45-MSH	CGC8100SBS45-MSH



SBS 3.0



SBS 3.5



SBS 3.75



SBS 4.0



SBS 4.5



SBS 3.5 (MOD)



SBS 3.75 (MOD)




SBS 4.0 (MOD)



SBS 4.5 (MOD)



## SUPER BACKUP SUPPORT: LEFT ANTERIOR DESCENDING



Shape	Side Holes	Tip	5F	6F	7F	8F
SBSLAD 3.0	-	3.0	CGC5100SBSLAD30	CGC6100SBSLAD30	CGC7100SBSLAD30	CGC8100SBSLAD30
SBSLAD 3.0	2	3.0	CGC5100SBSLAD30SH	CGC6100SBSLAD30SH	CGC7100SBSLAD30SH	CGC8100SBSLAD30SH
SBSLAD 3.5	-	3.5	CGC5100SBSLAD35	CGC6100SBSLAD35	CGC7100SBSLAD35	CGC8100SBSLAD35
SBSLAD 3.5	2	3.5	CGC5100SBSLAD35SH	CGC6100SBSLAD35SH	CGC7100SBSLAD35SH	CGC8100SBSLAD35SH
SBSLAD 4.0	-	4.0	CGC5100SBSLAD40	CGC6100SBSLAD40	CGC7100SBSLAD40	CGC8100SBSLAD40
SBSLAD 4.0	2	4.0	CGC5100SBSLAD40SH	CGC6100SBSLAD40SH	CGC7100SBSLAD40SH	CGC8100SBSLAD40SH
SBSLAD 4.5	-	4.5	CGC5100SBSLAD45	CGC6100SBSLAD45	CGC7100SBSLAD45	CGC8100SBSLAD45
SBSLAD 4.5	2	4.5	CGC5100SBSLAD45SH	CGC6100SBSLAD45SH	CGC7100SBSLAD45SH	CGC8100SBSLAD45SH



SBSLAD 3.0



SBSLAD 3.5




SBSLAD 4.0



SBSLAD 4.5

## SUPER BACKUP SUPPORT: RIGHT CORONARY ARTERY




Shape	Side Holes	Tip	5F	6F	7F	8F
SBSRCA	-		CGC5100SBSRCA	CGC6100SBSRCA	CGC7100SBSRCA	CGC8100SBSRCA
SBSRCA	2		CGC5100SBSRCASH	CGC6100SBSRCASH	CGC7100SBSRCASH	CGC8100SBSRCASH



SBSRCA

## MULTIPURPOSE




Shape	Side Holes	Tip	5F	6F	7F	8F
Multipurpose 1	-	MP	CGC5100MP1	CGC6100MP1	CGC7100MP1	CGC8100MP1
Multipurpose 1	2	MP	CGC5100MP1SH	CGC6100MP1SH	CGC7100MP1SH	CGC8100MP1SH




MP

## LEFT & RIGHT CORONARY BYPASS



Shape	Side Holes	Tip	5F	6F	7F	8F
Left Coronary Bypass	-	LCB	CGC5100LCB	CGC6100LCB	CGC7100LCB	CGC8100LCB
Left Coronary Bypass	2	LCB	CGC5100LCBSH	CGC6100LCBSH	CGC7100LCBSH	CGC8100LCBSH
Right Coronary Bypass	-	RCB	CGC5100RCB	CGC6100RCB	CGC7100RCB	CGC8100RCB
Right Coronary Bypass	2	RCB	CGC5100RCBSH	CGC6100RCBSH	CGC7100RCBSH	CGC8100RCBSH



LCB



RCB



## INTERNAL MAMMARY



Shape	Side Holes	Tip	5F	6F	7F	8F
Internal Mammary	-	IM	CGC5100IM	CGC6100IM	CGC7100IM	CGC8100IM
Internal Mammary	2	IM	CGC5100IMSH	CGC6100IMSH	CGC7100IMSH	CGC8100IMSH




## EL GAMAL



Shape	Side Holes	Tip	5F	6F	7F	8F
El Gamal	-	EG	CGC5100EG	CGC6100EG	CGC7100EG	CGC8100EG



## HOCKEY STICK





Shape	Side Holes	Tip	5F	6F	7F	8F
Hockey Stick	-	HS	CGC5100HS	CGC6100HS	CGC7100HS	CGC8100HS
Hockey Stick	2	HS	CGC5100HSSH	CGC6100HSSH	CGC7100HSSH	CGC8100HSSH



Radial catheters are designed to engage both the right and left coronary arteries.

## ULTIMATE 1



With a rounded secondary curve to decrease the potential kink point and a tertiary curve for added backup support, this design is helpful in normal aortas and arteries with a superior takeoff.



Shape	Length	Tip	5F	6F	7F
ULT1	100 cm	ULT1	CGC5100ULT1	CGC6100ULT1	CGC7100ULT1

## ULTIMATE 2



With 3.5 cm between the primary and secondary curve, this design is helpful in normal to dilated aortas and arteries with an inferior takeoff.



Shape	Length	Tip	5F	6F	7F
ULT2	100 cm	ULT2	CGC5100ULT2	CGC6100ULT2	CGC7100ULT2

## ULTIMATE 3



With 4.0 cm between the primary and secondary curve, this design gives additional reach and is helpful in dilated aortas and arteries with an extreme or unusual takeoff.



Shape	Length	Tip	5F	6F	7F
ULT3	100 cm	ULT3	CGC5100ULT3	CGC6100ULT3	CGC7100ULT3

## ULTIMATE 4

With the option of 4.0 or 4.5 cm between the primary and secondary curve, this design gives additional reach and is helpful in normal to dilated aortas and arteries with a superior takeoff.



Shape	Length	Tip	5F	6F	7F
ULT4-T40	100 cm	ULT4	CGC5100ULT4-T40	CGC6100ULT4-T40	CGC7100ULT4-T40
ULT4-T45	100 cm	ULT4	CGC5100ULT4-T45	GC6100ULT4-T45	CGC7100ULT4-T45

Before using refer to Instructions for Use for indications, contraindications, warnings, precautions, and directions for use.



Understand. Innovate. Deliver.™

[merit.com](http://merit.com)

Merit Medical Systems, Inc.  
1600 West Merit Parkway  
South Jordan, Utah 84095  
1.801.253.1600  
1.800.35.MERIT

Merit Medical Europe, Middle East & Africa (EMEA)  
Amerikalaan 42, 6199 AE  
Maastricht-Airport  
The Netherlands  
+31 43 358 82 22

Merit Medical Ireland Ltd.  
Parkmore Business Park West  
Galway, Ireland  
+353 (0) 91 703 733